

2 June 2020

PRACTEC DEVELOPMENTS (AUST) NO 8 PTY LTD
184-186 Campbell St
DARLINGHURST NSW 2010

NOTICE OF DETERMINATION - APPROVAL
APPLICATION NO: D/2019/825

Dear Mr Turner

Please find enclosed the Notice of Determination and advisory notes relating to your development application for 184-186 Campbell Street, Darlinghurst.

A copy of the DA Assessment Report can be viewed online at the City of Sydney's website development.cityofsydney.nsw.gov.au/DASearch/.

If further information is required, please contact **Matthew Girvan on 9246 7756 or at mgirvan@cityofsydney.nsw.gov.au**.

Yours faithfully



MATTHEW GIRVAN
Senior Planner

NOTICE OF DETERMINATION - APPROVAL

Issued under Section 4.16(1)(a) of the Environmental Planning and Assessment Act 1979

Development Application No.	D/2019/825
Applicant	PRACTEC DEVELOPMENTS (AUST) NO 8 PTY LTD
Land to be developed	184-186 CAMPBELL STREET, DARLINGHURST NSW 2010 Lot 100 DP 572835
Approved development	Alterations and additions to existing terraces, new rear four storey addition with covered roof terrace, and use as hotel accommodation with 18 hotel rooms.
Cost of development	\$2,923,970
Determination	The application was determined under delegation of Council and was granted consent subject to the conditions in Schedules 1 and 2.
Other Approvals	Before commencing <i>building work</i> or <i>subdivision work</i> , a relevant Construction Certificate must be obtained from Council or an Accredited Certifier. Council must be appointed the Principal Certifier for any <i>subdivision work</i> under the Act.
Consent is to operate from	1 June 2020
Consent will lapse on	1 June 2025

Reasons for conditions

Unrestricted consent may affect the environmental amenity of the area and would not be in the public interest.

Reasons for Approval

1. The development, subject to conditions, is consistent with the objectives of the B4 Mixed Use zone;
2. The development, subject to conditions, will safeguard neighbourhood amenity and will promote the orderly operation of the premises; and
3. The development will not adversely affect the character of the Heritage Conservation Area; and
4. The development accords with objectives of relevant planning controls and is in the public interest.

Community Consultation

12 submissions were received. Issues raised in all submissions have been taken into account in the report, and where appropriate conditions of consent have been included in the Notice of Determination to address these issues.

NOTICE OF DETERMINATION – APPROVAL D/2019/825

Right of appeal

If you are dissatisfied with this decision, Section 8.7 of the Environmental Planning and Assessment Act 1979 gives you the right to appeal to the Land and Environment Court within six (6) months of the date of this notification.

Division 8.2 of the Environmental Planning and Assessment Act 1979 provides that the applicant may request the Council to review the determination.

Division 8.2 does not apply to complying development, designated development, integrated development or a determination made by Council under Division 4.2 in respect of Crown applications. For further information please contact **Matthew Girvan on 9246 7756**.

Application determined under delegation of the CEO and Council by:

A handwritten signature in black ink, appearing to be 'GJahn', written in a cursive style.

Graham Jahn AM
Director

City Planning | Development | Transport

NOTICE OF DETERMINATION – APPROVAL D/2019/825

CONDITIONS OF CONSENT

SCHEDULE 1A

APPROVED DEVELOPMENT/DESIGN MODIFICATIONS/COVENANTS AND CONTRIBUTIONS/USE AND OPERATION

Note: Some conditions in Schedule 1A are to be satisfied prior to issue of a Construction Certificate and some are to be satisfied prior to issue of Occupation Certificate, where indicated.

(1) APPROVED DEVELOPMENT

- (a) Development must be in accordance with Development Application No. D/2019/825 dated 01/08/2019 and the following drawings prepared by Archi Spectrum:

Drawing Number	Drawing Name	Date
DA06/ b	Proposed Lower Ground Floor Plan	28/11/2019
DA07/ b	Proposed Ground Floor Plan	28/11/2019
DA08/ b	Proposed First Floor Plan	28/11/2019
DA09/ b	Proposed Second Floor Plan	28/11/2019
DA10/ b	Proposed Roof Terrace Plan	28/11/2019
DA11/ b	Site & Roof Plan	28/11/2019
DA13/ b	Proposed South Elevation	28/11/2019
DA14/ b	Proposed North Elevation	28/11/2019
DA15/ b	Proposed Side Elevation - East	28/11/2019
DA16/ b	Proposed Side Elevation - West	28/11/2019
DA17/ b	Section A-A	28/11/2019
DA18/ b	Section B-B	28/11/2019

and as amended by the conditions of this consent.

- (b) In the event of any inconsistency between the approved plans and supplementary documentation, the plans will prevail.

(2) DESIGN MODIFICATIONS

The design of the building must be modified as follows:

- (a) The louvred roof system and 'pergola' roof is to be setback by 1.5m from the western boundary and designed as a lightweight structure, with the terrace to remain open to the sky for 1.5m adjacent to the western boundary.
- (b) The full height western wall to the roof terrace is to be limited to 1.1m in height.
- (c) The roof terrace and rooftop structures are to be setback by 1.5m from the eastern boundary, with a 1.8m high privacy screen provided along the alignment of the 1.5m setback.

NOTICE OF DETERMINATION – APPROVAL D/2019/825

- (d) The ground floor ensuite within room G.01 is to be relocated so that it is not adjacent to the original entry stair.
- (e) The western blade wall must not project higher than the gutter line of the terrace roof.
- (f) The aluminium framed casement windows on the Taggarts Lane facade are to be replaced with timber double hung windows.

The modifications are to be submitted to and approved by Council's Area Planning Manager/Co-ordinator prior to the issue of a Construction Certificate.

(3) MATERIALS AND SAMPLES SCHEDULE – MINOR DEVELOPMENT

A detailed material, colours and finishes schedule (including visible rainwater goods and services) keyed to each building elevation must be submitted to and approved by Council's Area Planning Manager/Co-ordinator prior to a Construction Certificate being issued. The materials and samples schedule/board must not include generic material or colour descriptions or use terminology such as 'or similar'.

(4) FIRE HYDRANT BOOSTER

The fire hydrant booster is to be designed to minimise its visual impact when viewed from Campbell Street. Further details, including any platform, pipes and cutting to the fence are required to be submitted to the satisfaction of Council's Area Planning Manager/Co-ordinator prior to a Construction Certificate being issued.

(5) WORKS TO ENTRY STAIRS

- (a) The new balustrade to the Campbell Street entry stairs is to be designed to be sympathetic to the character of the building when viewed from Campbell Street. Further details of the balustrade, including the design, location, materials and fixing details are required to be submitted to the satisfaction of Council's Area Planning Manager/Co-ordinator prior to a Construction Certificate being issued.
- (b) Details of the signage and the location of lighting are to be submitted to the satisfaction of Council's Area Planning Manager/Co-ordinator prior to a Construction Certificate being issued.
- (c) The gate may be original so when removed must be protected and stored on site for future reinstatement.

(6) OPERATIONAL CONDITIONS

The following operational conditions apply to the use of the hotel accommodation at all times:

- (a) The use of the communal roof terrace is restricted to between 7:30am and 9:30pm Monday to Sunday.
- (b) The maximum number of occupants permitted to stay at the premises is 36 occupants at any one time.

NOTICE OF DETERMINATION – APPROVAL D/2019/825

- (c) The capacity of each bedroom must not be increased at any time.
- (d) The maximum permitted length of stay for each guest is 28 days.
- (e) The premises are to have a manager on-site 24-hours per day with their contact phone number made available to guests, local residents, police and local council via the website, on-site signage and/or letters.
- (f) Lockable storage of a minimum of 0.6 cubic metres per person is provided in each room.

(7) VISITOR AND TOURIST ACCOMMODATION - USE AND OPERATION

The use and operation of the premises must comply with the requirements of Schedule 2 (Standards for Places of Shared Accommodation) of the Local Government (General) Regulation, 2005 under the Local Government Act 1993, the Public Health Act, 2010 and regulations thereunder and *Sydney Development Control Plan 2012 – 4.4.8*.

(8) PLAN OF MANAGEMENT

- (a) The use must always be operated / managed in accordance with the Plan of Management, titled 'Plan of Management' for 184-186 Campbell Street, Darlinghurst, NSW, 2010, and dated November 2019 – TRIM ref: 2019/607109 which is to be further amended as follows:
 - (i) To ensure that it is consistent with all conditions of consent;
 - (ii) To remove the 'Draft' watermark;
 - (iii) To detail how management will assist guests using the accessible entrance including with check-in and check-out.
- (b) The amended Plan of Management is to be submitted to and approved by Council's Area Planning Manager/Co-ordinator prior to the issue of an Occupation Certificate.
- (c) In the event of any inconsistency, the conditions of this consent will prevail over the Plan of Management.

(9) ACCOMMODATION - REGISTRATION AND MANAGER

Prior to the issuing of any Occupation Certificate, Council's Health and Building Unit must be advised in writing of the business name, address, owner or company name, 24 hour contact details for the site manager, and the number of occupants approved for the premises. A manager must be contactable 24 hours a day.

(10) RESTRICTION ON STRATA SUBDIVISION

Any strata subdivision of the hotel to create individual lots for hotel rooms is not permitted.

NOTICE OF DETERMINATION – APPROVAL D/2019/825

(11) RESTRICTION ON THE USE OF LAND

Prior to the issue of an Occupation Certificate, a Restriction on the Use of Land is to be registered on Title of the development site land and is enforceable by Council (Council to be the prescribed authority imposing the restriction) in accordance with Section 88B or 88E of the *Conveyancing Act 1919* (NSW), on terms satisfactory to Council, prohibiting further development within the area shown on the approved plans as “light well extension” on ground floor level and above.

(12) APPROVED DESIGN ROOF - TOP PLANT

All roof-top plant and associated equipment must be located within the approved building envelope and must not exceed the height of the approved wall surrounding the ‘Hot Water & A/C Service Area’.

(13) SURVEILLANCE CAMERAS

- (a) CCTV surveillance cameras shall be strategically installed, operated and maintained throughout the premises with particular coverage to:
 - (i) principal entrance/s and exits;
 - (ii) all communal areas within the premise;
 - (iii) staircases in multilevel premises; and
 - (iv) the area within a 10m radius external to the public entrance(s) to the premise.
- (b) Suitable and clearly visible signage shall be displayed at the principal entrance(s) to the premise and in a prominent position on each floor accessible to the public, in lettering not less than 50mm in height with the words “Closed Circuit Television in use on these premises”.
- (c) All CCTV recording equipment and cameras shall be of high grade digital quality capable of establishing the population and identification of guests, offenders and incidents within the depth of field view of the cameras. In this respect each surveillance camera shall be capable of recording a minimum rate of 10 frames per second and at high resolution.
- (d) CCTV recording discs or hard drive recordings shall be retained for 28 days before being re-used, destroyed or deleted. Time and date shall be auto recorded on the disc or hard drive. The CCTV recording equipment shall be capable of reproducing a CD, DVD, USB or other appropriate digital copy of recorded footage on demand of Council or Police Officers either immediately or within 12 hours of the request being made. Copy discs must be handed to Council, Police Officer or Special Inspectors as required.
- (e) All CCTV recording devices and cameras shall be checked daily to ensure the equipment is operating correctly. The Manager shall record this daily checking activity in the security/incident register book that meets the standards required by the Police and Council. If it is discovered at any time that the equipment is not in full operating order all reasonable steps must be taken to repair the system as soon as practicable. Where the

NOTICE OF DETERMINATION – APPROVAL D/2019/825

system will not be functioning in full operating order for a period of longer than 24 hours the manager is to notify the relevant Local Area Commander of the NSW Police.

- (f) All CCTV recording devices and cameras shall be operated at all times.
- (g) The CCTV recording device shall be secured within the premises and only be accessible to senior management personnel so as to maintain the integrity of the recorded footage. When the premises is operating there must be at least one staff member present at the premises who is authorised to access the CCTV system and able to immediately review recordings and produce copies.
- (h) Camera views are not to be obstructed by temporary or permanent structures, signage or other impediments.

(14) NO AIR CONDITIONING UNITS TO FACADE OF BUILDING

Approval is not granted for the installation of individual air conditioning units to the facade or balconies of the building.

(15) SWINGING DOORS OVER PUBLIC WAY

Any access doors to enclosures housing building services and facilities, such as hydrant and sprinkler booster assemblies or the like, must not open over the footway/roadway.

(16) ERECTION OF SIGN

The sign is to be erected in a secure manner to ensure safety and its installation is not to involve measures that would cause irreversible damage to the building.

(17) NOISE – COMMERCIAL PLANT / INDUSTRIAL DEVELOPMENT

- (a) Noise from commercial plant and industrial development must not exceed a project amenity/intrusiveness noise level or maximum noise level in accordance with relevant requirements of the NSW EPA [Noise Policy for Industry 2017 \(NPfI\)](#) unless agreed to by the City's Area Planning Manager. Further:
 - (i) Background noise monitoring must be carried out in accordance with the long-term methodology in [Fact Sheet B](#) of the NPfI unless otherwise agreed by the City's Area Planning Manager.
 - (ii) Commercial plant is limited to heating, ventilation, air conditioning, refrigeration and energy generation equipment.
- (b) An $L_{Aeq,15 \text{ minute}}$ (noise level) emitted from the development must not exceed the $L_{A90, 15 \text{ minute}}$ (background noise level) by more than 3dB when assessed inside any habitable room of any affected residence or noise sensitive commercial premises at any time. Further:
 - (i) The noise level and the background noise level shall both be measured with all external doors and windows of the affected residence closed.

NOTICE OF DETERMINATION – APPROVAL D/2019/825

- (ii) Background noise measurements must not include noise from the development but may include noise from necessary ventilation at the affected premise.
- (c) Corrections in [Fact Sheet C](#) of the NPfl are applicable to relevant noise from the development measured in accordance with this condition, however duration corrections are excluded from commercial noise.

(18) COMPLIANCE WITH THE ACOUSTIC REPORT PRIOR TO CONSTRUCTION AND OR OCCUPATION CERTIFICATES

- (a) All relevant performance parameters (including but not limited to requirements, engineering assumptions and recommendations) in the DA Acoustic Report prepared by Acoustic Logic, dated 5th July 2019, Project ID 20190559.1, titled 184-186 Campbell Street, Darlinghurst DA Acoustic Assessment, Council Ref 2019/384867 must be implemented in the development prior to the commencement of its use.
- (b) Prior to the issue of any relevant Construction Certificate, the final construction drawings and final construction methodology must be assessed and reported to be in accordance with the requirements of the DA Acoustic Report in (a) above, with reference to relevant documentation. This must be done by a Suitably Qualified Acoustic Consultant* (see definition below). This work will be to the satisfaction of the certifier.
- (c) Prior to the issue of an Occupation Certificate, a Suitably Qualified Acoustic Consultant* is to provide a written Acoustic Verification Report to the satisfaction of the Principal Certifier/Principal certifying Authority that the development complies with the requirements set out in the Report and in (a) and (b) above.

Note: *Suitably Qualified Acoustic Consultant* means a consultant who possesses the qualifications to render them eligible for membership of the Australian Acoustics Society, Institution of Engineers Australia or the Association of Australian Acoustic Consultants at the grade of member.

- (d) All physical aspects of the building's structure installed in order to meet performance parameters in accordance with this condition must be maintained at all times.

(19) NO SPEAKERS OR MUSIC OUTSIDE

Speakers and/or noise amplification equipment must not be installed, and music must not be played in any of the outdoor areas associated with the premises including the public domain or roof top terrace. Speakers located within the premises must not be placed so as to direct the playing of music towards the outdoor areas associated with the premises.

(20) DEMOLITION, EXCAVATION AND CONSTRUCTION NOISE AND VIBRATION MANAGEMENT PLAN

A site-specific noise management plan shall be submitted to the Council for comment and approval prior to issue of any Construction Certificate.

NOTICE OF DETERMINATION – APPROVAL D/2019/825

The Plan must be prepared by a suitably qualified person who possesses the qualifications to render them eligible for membership of the Australian Acoustic Society, Institution of Engineers Australia or the Australian Association of Acoustic Consultants.

The plan must include but not be limited to the following:

- (a) identification of noise sensitive receivers near to the site.
- (b) A prediction as to the level of noise impact likely to affect the nearest noise sensitive receivers from the use and proposed number of high noise intrusive appliances intended to be operated onsite. A statement should also be submitted outlining whether or not predicted noise levels will comply with the noise criteria stated within the *City of Sydney Construction Hours /Noise Code of Practice 1992* for the typical construction hours of 07.00am to 7.00pm. Where resultant site noise levels are likely to be in exceedance of this noise criteria then a suitable proposal must be given as to the duration and frequency of respite periods that will be afforded to the occupiers of neighbouring property.
- (c) A representative background noise measurement ($L_{A90, 15 \text{ minute}}$) should be submitted, assessed in the vicinity of any potentially affected receiver locations and measured in accordance with AS 1055:1.2.1997.
- (d) Confirmation of the level of community consultation that has/is and will be undertaken with Building Managers/ occupiers of the main adjoining noise sensitive properties likely to be most affected by site works and the operation of plant/machinery particularly during the demolition and excavation phases.
- (e) Confirmation of noise monitoring methodology that is to be undertaken during the main stages of work at neighbouring noise sensitive properties in order to keep complaints to a minimum and to ensure that noise from site works complies with the noise criteria contained within City's Construction Noise Code.
- (f) What course of action will be undertaken following receipt of a complaint concerning offensive noise.
- (g) Details of any noise mitigation measures that have been outlined by an acoustic consultant or otherwise that will be deployed on site to reduce noise impacts on the occupiers of neighbouring noise sensitive property to a minimum.
- (h) What plant and equipment is to be used on site, the level of sound mitigation measures to be undertaken in each case and the criteria adopted in their selection taking into account the likely noise impacts on the occupiers of neighbouring property and other less intrusive technologies available.

(21) COMPLIANCE WITH DEMOLITION, EXCAVATION & CONSTRUCTION NOISE AND VIBRATION MANAGEMENT PLAN

- (a) All works conducted on site which form part of this development must be carried out in accordance with the submitted Demolition, Excavation and Construction Management Plan prepared by Practec Group dated July 2019.
- (b) Where all such control measures have been implemented and the resultant noise and/ or vibration levels at any sensitive receiver still exceed the council's applicable criteria stated in the Construction Hours/Noise Code 1992 and are giving rise to sustained complaints then the contractor must provide regular, appropriate and sustained periods of respite in consultation with Council's Health and Building unit. Approval to vary the authorised noise and vibration levels must be received in writing

NOTICE OF DETERMINATION – APPROVAL D/2019/825

by the proponent from Council prior to activities being undertaken that exceed sanctioned emission levels. (Use where respite periods not specified under the approved DEC NMP)

Such periods must be set and agreed to by Council's Health and Building Unit.

(22) USE OF INTRUSIVE APPLIANCES – NOT APPROVED

This development consent does not extend to the use of appliances which emit noise of a highly intrusive nature (such as pile - drivers and hydraulic hammers) or are not listed in Groups B, C, D, E or F of Schedule 1 of the City of Sydney Code of Practice for Construction Hours/Noise 1992".

A separate Section 4.55 application must be submitted to the Council for the use of any equipment of a highly intrusive nature (such as pile - drivers and hydraulic hammers) or are not listed in Groups B, C, D, E or F of Schedule 1 of the *City of Sydney Code of Practice for Construction Hours/Noise 1992*.

(23) ALLOCATION OF CAR PARKING

Car parking spaces are to be provided in accordance with the table below. Details confirming the quantity and allocations of car parking spaces is to be submitted to the satisfaction of the Certifying Authority prior to the issue of a Construction Certificate.

Car Parking Type	Number
Service vehicle / Hotel space (Australian Standard B99/Equivalent vehicle)	1

(24) CAR PARKING DESIGN

The design, layout, signage, line marking, lighting and physical controls of all off-street car parking facilities is to satisfy the *Australian Standard AS/NZS 2890.1 - 2004 Parking facilities Part 1: Off-street car parking* and *Australian Standard AS/NZS 2890.2 - 2002 Parking facilities Part 2: Off-street commercial vehicle facilities*. The details must be submitted to and approved by the Certifying Authority prior to a Construction Certificate being issued.

(25) BICYCLE PARKING AND END OF TRIP FACILITIES

The minimum number of bicycle parking spaces and end of trip facilities (EOT facilities to be deleted for residential development) to be provided for the development must comply with the table below.

User	Number of bicycles to be accommodated	Requirements
Hotel Staff/Guest	2	Class B bicycle parking facility in accordance with AS2890.3
End of Trip Facility Type	Number	

NOTICE OF DETERMINATION – APPROVAL D/2019/825

Showers with change area	1	
Personal lockers	2	

The layout, design and security of bicycle facilities must comply with *Australian Standard AS 2890.3:2015 Parking Facilities Part 3: Bicycle Parking Facilities*. The details must be submitted to and approved by the Certifying Authority confirming prior to the Construction Certificate being issued.

(26) COST OF SIGNPOSTING

All costs associated with signposting of any kerbside parking restrictions and traffic management measures associated with the development shall be borne by the developer.

(27) ASSOCIATED ROADWAY COSTS

All costs associated with the construction of any new road works including kerb and gutter, road pavement, drainage system and footway shall be borne by the developer. The new road works must be designed and constructed in accordance with the City's "Sydney Streets Technical Specification" including amendments and "Sydney Streets Code".

(28) DELIVERY VEHICLES

Deliveries associated with the site that involve the movement of vehicles, must only occur between the hours of 8am and 8pm.

(29) ON-SITE LOADING OPERATION

All loading and unloading associated with the site must be carried out within the site at all times and must not obstruct other properties/units or the public way.

At all times the service vehicle docks, car parking spaces and access driveways must be kept clear of goods and must not be used for storage purposes, including garbage storage.

(30) SERVICE VEHICLE SIZE LIMIT

The size of vehicles servicing the property must not exceed 5.4 m.

(31) VEHICLES ACCESS

The site must be configured to allow all vehicles to reverse in and driven off the site in a forward direction.

(32) LOADING SERVICE MANAGEMENT PLAN

A Loading Servicing Management Plan, must be submitted to and approved by Council prior to the Occupation Certificate for the site/use being granted. The Loading Management Plan will include a strategy for the management of all servicing of the site including guest drop off, pick up, waste collection and other delivery vehicles and should include information such as arrivals to the site, the

NOTICE OF DETERMINATION – APPROVAL D/2019/825

anticipated numbers of arrivals per week, time of day of the arrivals, length of stay, vehicle type etc. The Plan must include, but is not limited to, management of deliveries to prevent disruption to public streets. The Plan must identify how the single loading space will be managed for all the service requirements for the hotel.

Once approved, this management plan must be provided to all tenants and external users.

(33) TRANSPORT ACCESS GUIDE

A Transport Access Guide must be implemented and maintained by the operators of the premises and be made available to staff, clients, customers and visitors at all times. The following information shall be submitted to and approved by Council prior to the issue of an Occupation Certificate for the site/use:

The Transport Access Guide is to include (but not limited to) the following:

- A Transport Access Guide detailing sustainable transport options to access the site including public transport, cycling and walking or a combination of these modes.
- Information regarding lack of off-street car parking and passenger pick-up and set-down areas at the development site.
- Suitable nearby drop-off/pick-up locations.
- Identify areas where drop-off/pick-up is prohibited and instruct visitors to avoid use of these areas.
- Suitable nearby Taxi Zones.
- Public Transport options adjacent to the site.
- Pedestrian access to the site.
- Bicycle Parking and cycleway networks to the site.
- Communication methods by which the Transport Access Guide will be made available to staff, clients, customers and visitors.

Note: Transport Access Guide requirements are detailed in Schedule 7.7 of the DCP. Information about preparing a Transport Access Guide is available on Council's website. For further information about a preparing a Transport Access Guide, the applicant should contact the City's Transport and Access Unit.

SCHEDULE 1B

PRIOR TO CONSTRUCTION CERTIFICATE/COMMENCEMENT OF WORK/HEALTH AND BUILDING

(34) ACCESS AND FACILITIES FOR PERSONS WITH DISABILITIES

The building must be designed and constructed to provide access and facilities for people with a disability in accordance with the *Building Code of Australia*.

If, in complying with this condition, amendments to the development are required, the design changes must be submitted to and approved by Council prior to a Construction Certificate being issued.

(35) BCA COMPLIANCE - ALTERATIONS AND ADDITIONS - UPGRADE OF BUILDING IS REQUIRED (CC REQUIRED)

(a) Pursuant to Clause 94 of the Environmental Planning and Assessment Regulation 2000, where currently non-compliant, the whole of the existing building (with the exception of the existing ground floor external stairs leading to Campbell Street) must comply with the performance requirements relating to the following parts of the Building Code of Australia (BCA):

- (b) Fire resistance and stability - Part C1;
 - (i) Compartmentation and separation - Part C2;
 - (ii) Protection of openings - Part C3;
 - (iii) Provision for escape - Part D1;
 - (iv) Construction of exits - Part D2;
 - (v) Fire fighting equipment - Part E1;
 - (vi) Smoke hazard management- Part E2
 - (vii) Visibility in an emergency, exit signs and warning systems - Part E4;
 - (viii) Sound transmission and insulation- Part F5

Prior to a construction certificate being issued, the Certifying Authority must ensure that the proposed works and other upgrading works required by this condition satisfy the Building Code of Australia by complying with Clause A2.1 of the BCA.

(36) EXISTING GROUND FLOOR EXTERNAL STAIRWAY LEADING TO CAMPBELL STREET

The existing ground floor external stairway leading to Campbell Street shall be upgraded in accordance with the report titled 'Fire and Life Safety Upgrade Strategy' prepared by Incode Solutions, Dated 25 November 2019.

(37) COMPLIANCE WITH BUILDING CODE OF AUSTRALIA

Any proposed work must comply with the Building Code of Australia (BCA).

(38) EXTERNAL WALLS AND CLADDING FLAMMABILITY

The external walls of the building including attachments must comply with the relevant requirements of the Building Code of Australia (BCA). Prior to the issue of a Construction Certificate and Occupation Certificate the Accredited Certifier and the Principal Certifier must:

- (a) Be satisfied that suitable evidence is provided to demonstrate that the products and systems proposed for use or used in the construction of external walls including finishes and claddings such as synthetic or aluminium composite panels comply with the relevant requirements of the BCA; and
- (b) Ensure that the documentation relied upon in the approval processes include an appropriate level of detail to demonstrate compliance with the BCA as proposed and as built.

(39) PRODUCTS BANNED UNDER THE BUILDING PRODUCTS (SAFETY) ACT 2017

- (a) No building products that are banned, or products that are subject to a ban if used in a particular way, under the Building Products (Safety) Act 2017 are to be used in the construction of the development approved in this development consent.
- (b) Prior to the issue of any Occupation Certificate, the principal certifier is to confirm that none of the building products used on the building are subject to a building product use ban under the Building Products (Safety) Act 2017 or, if a product is only subject to a ban if used in a particular way that it is not used in any way contrary to the Building Products (Safety) Act 2017.

(40) APPLICATION FOR HOARDINGS AND SCAFFOLDING INSTALLED ON OR ABOVE A PUBLIC ROAD AND OPERATING HOISTING DEVICES INCLUDING BUILDING MAINTENANCE UNITS OVER A PUBLIC ROAD

- (a) A separate application under Section 68 of the *Local Government Act 1993* and Section 138 of the *Roads Act 1993* is to be made to Council to erect a hoarding and/or scaffolding (temporary structures) on or above a public road (footway and/or roadway).
- (b) Where an approval (Permit) is granted allowing the placement of temporary structures on or above a public road the structures must comply fully with Council's *Hoarding and Scaffolding Policy; Guidelines for Hoardings and Scaffolding*; and the conditions of approval (Permit) granted including:
 - (i) maintaining a current and valid approval for the full duration that the temporary structure/s is in place;

NOTICE OF DETERMINATION – APPROVAL D/2019/825

- (ii) maintaining temporary structure/s in a structurally sound and stable condition for the full duration of installation (Clause 2.11.1);
- (iii) bill posters and graffiti being removed within 24 hours of their placement (Clause 2.11.2);
- (iv) maintaining temporary structures and the public place adjoining the work site in a clean and tidy condition including repainting and/or repair of graphics (Clauses 2.11.1, 2.11.4, 2.14.1 and 3.9.3);
- (v) maintaining a watertight deck (Type B hoardings) to prevent liquids including rainwater, falling onto the footway/roadway surfaces (Clauses 3.9.1 and 3.9.4);
- (vi) approved site sheds on the decks of a Type B hoarding being fully screened from the public place (Clause 3.9.5);
- (vii) material and equipment not being placed or stored on the deck of Type B hoardings, unless specifically approved by Council (Clause 3.9.4);
- (viii) providing and maintaining operational artificial lighting systems under Type B hoardings including at high-bay truck entry points (Clause 3.9.9); and
- (ix) ensuring all required signage is provided and maintained (Clauses 3.9.3, 3.9.6, 3.9.8, 3.10.1 and 4.2).

If it is proposed to operate a hoisting device including a building maintenance unit above a public road which swings, hoists material/equipment and/or slews any part of the device over the public road, a separate application under Section 68 of the *Local Government Act 1993* and Section 138 of the *Roads Act 1993* must be made to Council to obtain approval.

(41) WORKS REQUIRING USE OF A PUBLIC PLACE

Where construction/building works require the use of a public place including a road or footpath, approval under Section 138 of the *Roads Act 1993* is to be obtained from Council prior to the commencement of work. Details of any barricade construction, area of enclosure and period of work are required to be submitted to the satisfaction of Council.

(42) GENERAL HERITAGE

- (a) The proposed works are to be carried out in a manner that minimises demolition, alterations and new penetrations/fixings to the significant fabric of the existing building.
- (b) The fabric and features to be retained by the proposal must be properly protected during the process of demolition and construction. The protection measures are to be specified in the construction management plan.
- (c) New services are to be surface mounted rather than chased-in to existing walls to minimise impact on heritage fabric.

NOTICE OF DETERMINATION – APPROVAL D/2019/825

- (d) Appropriately qualified tradespersons (as appropriate) are to be commissioned who are skilled in traditional building and engineering trades to carry out the proposed scope of works.

(43) INSTALLATION OF DUAL-FLUSH TOILETS

All toilets installed within the development must be of water efficient dual-flush or other water-saving capacity with at least a 4-star rating under the Water Efficiency and Labelling Scheme (WELS). The details must be submitted for the approval of the Accredited Certifier, prior to a Construction Certificate being issued.

(44) INSTALLATION OF WATER EFFICIENT TAPS

All taps and shower heads installed must be water efficient with at least a 4-star rating under the Water Efficiency and Labelling Scheme (WELS). The details are to be submitted for the approval of the Principal Certifier, prior to any Occupation Certificate being issued.

(45) INSTALLATION OF WATER EFFICIENT URINALS

New urinal suites, urinals and urinal flushing control mechanisms must use waterless technology. Where it is submitted that this is not feasible, it must be demonstrated that products have been selected with at least a 4-star rating under the Water Efficiency and Labelling Scheme (WELS). Systems must include "smart controls" to reduce unnecessary flushing. Continuous flushing systems are not approved. Details are to be submitted to and approved by the Accredited Certifier, prior to a Construction Certificate being issued.

(46) ELECTRICITY SUBSTATION

If required by the applicable energy supplier, the owner must dedicate to the applicable energy supplier, free of cost, an area of land within the development site, but not in any landscaped area or in any area visible from the public domain, to enable an electricity substation to be installed. The size and location of the substation is to be submitted for approval of Council and Ausgrid, prior to a Construction Certificate being issued or the commencement of the use, whichever is earlier.

(47) UTILITY SERVICES

To ensure that utility authorities are advised of the development:

- (a) Prior to the issue of a Construction Certificate a survey is to be carried out of all utility services within and adjacent to the site including relevant information from utility authorities and excavation if necessary, to determine the position and level of services.
- (b) Prior to the commencement of work the applicant is to obtain written approval from the utility authorities (e.g. Energy Australia, Sydney Water, and Telecommunications Carriers) in connection with the relocation and/or adjustment of the services affected by the construction of the underground structure. Any costs in the relocation, adjustment or support of services are to be the responsibility of the developer.

(48) PHYSICAL MODELS

- (a) Prior to the issue of any Occupation Certificate an accurate 1:500 scale model of the development as constructed must be submitted to and approved by Council's Area Coordinator Planning Assessments/Area Planning Manager for the City Model in Town Hall House.

Note:

- (i) The models must be constructed in accordance with the Model Specifications available online at <http://www.cityofsydney.nsw.gov.au/development/application-guide/application-process/model-requirements> Council's modellers must be consulted prior to construction of the model.
- (ii) The models are to comply with all of the conditions of the Development Consent.
- (iii) The models must be amended to reflect any further modifications to the approval (under Section 4.55 of the *Environmental Planning and Assessment Act*) that affect the external appearance of the building.

(49) SUBMISSION OF ELECTRONIC CAD MODELS PRIOR TO OCCUPATION CERTIFICATE

- (a) Prior to any Occupation Certificate being issued, an accurate 1:1 electronic CAD model of the completed development must be submitted to and approved by Council's Area Coordinator Planning Assessments/Area Planning Manager for the electronic Visualisation City Model.
- (b) The data required to be submitted within the surveyed location must include and identify:
 - (i) building design above and below ground in accordance with the development consent;
 - (ii) all underground services and utilities, underground structures and basements, known archaeological structures and artefacts;
 - (iii) a current two points on the site boundary clearly marked to show their Northing and Easting MGA (Map Grid of Australia) coordinates, which must be based on Established Marks registered in the Department of Lands and Property Information's SCIMS Database with a Horizontal Position Equal to or better than Class C.

The data is to be submitted as a DGN or DWG file on a Compact Disc. All modelling is to be referenced to the Map Grid of Australia (MGA) spatially located in the Initial Data Extraction file.

- (c) The electronic model must be constructed in accordance with the City's 3D CAD electronic model specification. The specification is available online at <http://www.cityofsydney.nsw.gov.au/development/application-guide/application-process/model-requirements> Council's Modelling staff should be consulted prior to creation of the model. The data is to comply with all of the conditions of the Development Consent.

(50) DILAPIDATION REPORT

Subject to the receipt of permission of the affected landowner, dilapidation report/s of adjoining buildings are to be prepared by an appropriately qualified practising structural engineer and submitted for the approval of the Accredited Certifier:

- (a) prior to the commencement of demolition/excavation works; and
- (b) on completion of construction demolition/excavation works.

(51) EROSION AND SEDIMENT CONTROL - LESS THAN 250SQM

Where less than 250 square metres are being disturbed, no formal plan is required however, the site is to be provided with sediment control measures and these must be implemented so that sediment, including soil, excavated material, building material or other materials cannot fall, descend, percolate, be pumped, drained, washed or allowed to flow to the street, stormwater system or waterways.

(52) ROAD OPENING PERMIT

A separate Road Opening Permit under Section 138 of the *Roads Act 1993* must be obtained from Council prior to the commencement of any:

- (a) Excavation in or disturbance of a public way, or
- (b) Excavation on land that, if shoring were not provided, may disturb the surface of a public road (including footpath).

(53) CONSTRUCTION TRAFFIC MANAGEMENT PLAN

A Construction Traffic and Pedestrian Management Plan must be submitted to and approved by Council prior to a Construction Certificate being issued.

Construction Traffic and Pedestrian Management Plans are to be prepared in accordance with Standard Requirements for Construction Traffic Management Plan on the City's website <http://www.cityofsydney.nsw.gov.au/business/business-responsibilities/traffic-management/construction-traffic-management-plans>

(54) DEMOLITION, EXCAVATION AND CONSTRUCTION MANAGEMENT

- (a) Prior to the commencement of demolition and/or excavation work the following details must be submitted to and be approved by the Principal Certifier:
 - (i) Plans and elevations showing distances of the subject building from the location of adjoining and common/party walls, and (where applicable) the proposed method of facade retention.
 - (ii) A Demolition Work Method Statement prepared by a licensed demolisher who is registered with the Work Cover Authority. (The demolition by induced collapse, the use of explosives or on-site burning is not permitted.)

NOTICE OF DETERMINATION – APPROVAL D/2019/825

- (iii) An Excavation Work Method Statement prepared by an appropriately qualified person.
- (iv) A Waste Management Plan for the demolition and or excavation of the proposed development.
- (v) Plans and elevations showing the location, construction and installation of temporary site fencing and any temporary structures used in connection with the construction of the development.

Note: Temporary structures, including hoardings and scaffolding, proposed for erection on City-owned and controlled land (footways and roadways), must comply with the City's *Guidelines for Hoardings and Scaffolding* and be approved by Council under the provisions of the Local Government Act 1993 and the Roads Act 1993 prior to installation.

- (b) Such statements must, where applicable, be in compliance with AS2601-2001 Demolition of Structures, the *Work, Health and Safety Act 2011* and Regulation; Council's *Policy for Waste Minimisation in New Developments 2005*, the *Waste Avoidance and Resource Recovery Act 2001*, and all other relevant acts and regulations and must include provisions for:
 - (i) A Materials Handling Statement for the removal of refuse from the site in accordance with the *Waste Avoidance and Resource Recovery Act 2001*.
 - (ii) The name and address of the company/contractor undertaking demolition/excavation works.
 - (iii) The name and address of the company/contractor undertaking off site remediation/disposal of excavated materials.
 - (iv) The name and address of the transport contractor.
 - (v) The type and quantity of material to be removed from site.
 - (vi) Location and method of waste disposal and recycling.
 - (vii) Proposed truck routes, in accordance with this development consent.
 - (viii) Procedures to be adopted for the prevention of loose or contaminated material, spoil, dust and litter from being deposited onto the public way from trucks and associated equipment and the proposed method of cleaning surrounding roadways from such deposits. (Note: With regard to demolition of buildings, dust emission must be minimised for the full height of the building. A minimum requirement is that perimeter scaffolding, combined with chain wire and shade cloth must be used, together with continuous water spray during the demolition process. Compressed air must not be used to blow dust from the building site).
 - (ix) Measures to control noise emissions from the site.
 - (x) Measures to suppress odours.
 - (xi) Enclosing and making the site safe.

NOTICE OF DETERMINATION – APPROVAL D/2019/825

- (xii) Induction training for on-site personnel.
 - (xiii) Written confirmation that an appropriately qualified Occupational Hygiene Consultant has inspected the building/site for asbestos, contamination and other hazardous materials, in accordance with the procedures acceptable to SafeWork NSW.
 - (xiv) An Asbestos and Hazardous Materials Clearance Certificate by a person approved by the SafeWork NSW.
 - (xv) Disconnection of utilities.
 - (xvi) Fire Fighting. (Fire fighting services on site are to be maintained at all times during demolition work. Access to fire services in the street must not be obstructed).
 - (xvii) Access and egress. (Demolition and excavation activity must not cause damage to or adversely affect the safe access and egress of the subject building or any adjacent buildings).
 - (xviii) Waterproofing of any exposed surfaces of adjoining buildings.
 - (xix) Control of water pollution and leachate and cleaning of vehicles tyres (proposals must be in accordance with the *Protection of the Environmental Operations Act 1997*).
 - (xx) Working hours, in accordance with this development consent.
 - (xxi) Any SafeWork NSW requirements.
- (c) The approved work method statements and a waste management plan as required by this condition must be implemented in full during the period of construction.

(55) HAZARDOUS MATERIALS SURVEY REQUIRED

A Hazardous Materials Survey Report must be prepared by a certified Occupational Hygienist (*Australia Institute of Occupational Hygienists*) and submitted to the satisfaction of Council's Area Coordinator Planning Assessments / Area Planning Manager prior to any demolition / refurbishment work commencing at the site. The report must identify and record the type, location and extent of any hazardous materials on the site and make recommendations as to their safe management and/or removal to ensure the site is made safe for demolition, construction and future use/occupation.

(56) COMPLIANCE WITH HAZARDOUS MATERIALS SURVEY REPORT

All of the recommendations for management and/or removal of hazardous materials on the site, as outlined in the Hazardous Materials Survey Report, as approved by the City's Area Planning Manager must be complied with.

Prior to the Occupation Certificate, certification must be submitted to the Principal Certifier from a certified Occupational Hygienist (*Australia Institute of Occupational Hygienists*) confirming that all hazardous materials identified have been contained, managed or removed in accordance with the recommendations

NOTICE OF DETERMINATION – APPROVAL D/2019/825

given in the approved Hazardous Materials Survey Report and that the site is safe for future occupation in accordance with the approved use.

(57) ASBESTOS REMOVAL WORKS

- (a) All works removing asbestos containing materials must be carried out by a suitably licensed asbestos removalist duly licensed with Safework NSW, holding either a Friable (Class A) or a Non- Friable (Class B) Asbestos Removal Licence which ever applies.

A copy of the relevant licence shall be made available to any authorised Council officer on request within 24 hours.

- (b) Five days prior to the commencement of licensed asbestos removal, Safework NSW must be formally notified of the works. All adjoining properties and those opposite the development must be notified in writing of the dates and times when asbestos removal is to be conducted. The notification must identify the licensed asbestos removal contractor and include a contact person for the site together with telephone number and email address.
- (c) All work must be carried out in accordance with the *Work Health and Safety Regulation 2011* and the NSW Government and Work Cover document entitled *How to manage and control asbestos in the work place: Code of Practice (Safework NSW) December 2011* and the *City of Sydney Managing Asbestos Policy dated 21 October 2013 and associated guidelines*.
- (d) The asbestos removalist must use signs and barricades to clearly indicate the area where the asbestos removal work is being performed. Signs must be placed in positions so that people are aware of where the asbestos removal work area is and should remain in place until removal is completed and clearance to reoccupy has been granted. Responsibilities for the security and safety of the asbestos removal site and removal must be specified in the asbestos removal control plan (where required). This includes inaccessible areas that are likely to contain asbestos.
- (e) Warning signs must be placed so they inform all people nearby that asbestos removal work is taking place in the area. Signs must be placed at all of the main entry points to the asbestos removal work area where asbestos is present. These signs must be weatherproof, constructed of light-weight material and adequately secured so they remain in prominent locations. The signs must be in accordance with AS 1319 -1994 *Safety Signs for the Occupational Environment* for size, illumination, location and maintenance.
- (f) Asbestos waste must only be transported and disposed of at an EPA licensed waste facility.
- (g) No asbestos products are to be reused on the site (i.e. packing pieces, spacers, formwork or fill etc).
- (h) No asbestos laden skips or bins are to be left in any public place without the written approval of Council.

NOTICE OF DETERMINATION – APPROVAL D/2019/825

- (i) A site notice board must be located at the main entrance to the site in a prominent position and must have minimum dimensions of 841mm x 594mm (A1) with any text on the notice to be a minimum of 30 point type size.

The site notice board must include the following:

- (i) contact person for the site;
- (ii) telephone and facsimile numbers and email address; and
- (iii) site activities and time frames.

(58) NOTIFICATION – NEW CONTAMINATION EVIDENCE

Any new information which comes to light during remediation, demolition or construction works which has the potential to alter previous conclusions about site contamination shall be notified to Council's Area Planning Manager and the Principal Certifier.

(59) CLASSIFICATION OF WASTE

Prior to the exportation of waste (including fill or soil) from the site, the waste materials must be classified in accordance with the provisions of the Protection of the *Environment Operations Act 1997* and the *NSW DECC Waste Classification Guidelines, Part1: Classifying Waste (July 2009)*. The classification of the material is essential to determine where the waste may be legally taken. The *Protection of the Environment Operations Act 1997* provides for the commission of an offence for both the waste owner and the transporters if the waste is taken to a place that cannot lawfully be used as a waste facility for the particular class of waste. For the transport and disposal of industrial, hazardous or Group A liquid waste advice should be sought from the EPA.

(60) MECHANICAL VENTILATION

- (a) The premises must be ventilated in accordance with the *Building Code of Australia* and *AS1668.1 and 2 - 2012. The Use of Ventilation and Air-Conditioning in Buildings - Mechanical Ventilation in Buildings*.
- (b) Details of any mechanical ventilation and/or air conditioning system complying with *AS1668.1 and 2 – 2012 The Use of Ventilation and Air-Conditioning in Buildings - Mechanical Ventilation in Buildings*, the *Building Code of Australia* and relevant Australian Standards must be prepared by a suitably qualified person and certified in accordance with Clause A2.2 (a) (iii) of the *Building Code of Australia*, to the satisfaction of the Principal Certifier prior to the issue of a Construction Certificate.
- (c) Prior to issue of an Occupation Certificate and following the completion, installation, and testing of all the mechanical ventilation systems, a Mechanical Ventilation Certificate of Completion and Performance in accordance with Clause A2.2 (a) (iii) of the *Building Code of Australia*, must be submitted to the Principal Certifier.

(61) ALIGNMENT LEVELS – MAJOR DEVELOPMENT

- (a) Proposed building floor levels, basement levels, basement car park entry levels and ground levels shown on the approved Development Application plans are indicative only and have not been approved by this consent.
- (b) Prior to a Construction Certificate being issued for any excavation, civil construction, drainage or building work (whichever is earlier), excluding approved preparatory or demolition work, alignment levels for the building and site frontages must be submitted to and approved by Council. The submission must be prepared by a Registered Surveyor and designed by a suitably qualified engineer, must be in accordance with the City of Sydney's *Public Domain Manual* and must be submitted with a completed Levels and Gradients Approval Application form (available on the City's website).
- (c) These alignment levels, as approved by Council, are to be incorporated into the plans submitted with the application for a Construction Certificate for any civil, drainage and public domain work as applicable under this consent. If the proposed detailed design of the public domain requires changes to any previously approved Alignment Levels, then an amended Alignment Levels submission must be submitted to and approved by Council to reflect these changes prior to a Construction Certificate being issued for public domain work.

(62) PHOTOGRAPHIC RECORD / DILAPIDATION REPORT - PUBLIC DOMAIN

Prior to an approval for demolition being granted or a Construction Certificate being issued, whichever is earlier, a photographic recording of the public domain site frontages is to be prepared and submitted to Council's satisfaction.

The recording must include clear images of the building facade adjoining the footpath, the footpath, nature strip, kerb and gutter, driveway crossovers and laybacks, kerb ramps, road carriageway, street trees and plantings, parking restriction and traffic signs, and all other existing infrastructure along the street.

The form of the recording is to be as follows:-

- (a) A PDF format report containing all images at a scale that clearly demonstrates the existing site conditions;
- (b) Each image is to be labelled to identify the elements depicted, the direction that the image is viewed towards, and include the name of the relevant street frontage;
- (c) Each image is to be numbered and cross referenced to a site location plan;
- (d) A summary report, prepared by a suitable qualified professional, must be submitted in conjunction with the images detailing the project description, identifying any apparent existing defects, detailing the date and authorship of the photographic record, the method of documentation and limitations of the photographic record;
- (e) Include written confirmation, issued with the authority of both the applicant and the photographer that the City of Sydney is granted a perpetual non-

NOTICE OF DETERMINATION – APPROVAL D/2019/825

exclusive license to make use of the copyright in all images supplied, including the right to make copies available to third parties as though they were Council images. The signatures of both the applicant and the photographer must be included.

Any damage to the public way including trees, footpaths, kerbs, gutters, road carriageway and the like must immediately be made safe and functional by the applicant. Damage must be fully rectified by the applicant in accordance with the City's standards prior to a Certificate of Completion being issued for Public Domain Works or before an Occupation Certificate is issued for the development, whichever is earlier.

(63) PRESERVATION OF SURVEY MARKS

All works in City streets must ensure the preservation of existing permanent survey marks (a brass bolt, or a lead plug holding a brass tack, covered by a cast iron box). At least forty-eight hours prior to the commencement of any works in the public way within 1 metre of a permanent survey mark contact must be made with the City's Project Manager Survey / Design Services to arrange for the recovery of the mark.

Prior to the issue of a Construction Certificate, a survey plan, clearly showing the location of all permanent survey marks fronting the site and within 5 metres on each side of the frontages must be submitted to Council.

At least forty-eight hours prior to the commencement of any works in the public way within 1 metre of a permanent survey mark contact must be made with the City's Senior Surveyor to arrange for the recovery of the mark.

A fee must be paid to the Council for the replacement of any permanent survey mark removed or damaged in accordance with the City's Schedule of Fees and Charges (Reinstatement of Survey Box).

(64) PROTECTION OF SURVEY INFRASTRUCTURE

Prior to the commencement of any work on site, a statement prepared by a Surveyor registered under the *Surveying and Spatial Information Act 2002* must be submitted to Council verifying that a survey has been carried out in accordance with the Surveyor General's Direction No. 11 – Reservation of Survey Infrastructure. Any Permanent Marks proposed to be or have been destroyed must be replaced, and a "Plan of Survey Information" must be lodged at the NSW Land Registry Services.

Reason: To ensure that the survey control infrastructure and cadastral framework are preserved for the public benefit and in accordance with the *Surveying and Spatial Information Act 2002*.

(65) PUBLIC DOMAIN PLAN

- (a) A detailed Public Domain Plan must be prepared by a suitably qualified architect, urban designer, landscape architect or engineer and must be lodged with Council's Public Domain Section and be approved by Council prior to a Construction Certificate being issued for public domain work or above ground building work, whichever is later.

NOTICE OF DETERMINATION – APPROVAL D/2019/825

- (b) The Public Domain Plan must document all works required to ensure that the public domain complies with the City of Sydney's *Public Domain Manual*, *Sydney Streets Code* and *Sydney Streets Technical Specification*, including requirements for road pavement, traffic measures, footway pavement, kerb and gutter, drainage, vehicle crossovers, pedestrian ramps, lighting, street trees and landscaping, signage and other public domain elements. If an Alignment Levels condition applies to the development, the Public Domain Plan submission must incorporate the approved Alignment Levels. If the proposed detailed design of the public domain requires changes to any previously approved Alignment Levels, then an amended Alignment Levels submission must be submitted to and approved by Council to reflect these changes prior to a Construction Certificate being issued for public domain work.
- (c) The works to the public domain are to be completed in accordance with the approved Public Domain Plan and Alignment Levels plans and the *Public Domain Manual* before any Occupation Certificate is issued in respect of the development or before the use commences, whichever is earlier.

(66) PUBLIC DOMAIN WORKS BOND

Public Domain Works Deposit will be required as security for the public domain works and for repairing damage that may be caused to the public domain in the vicinity of the site, in accordance with the City of Sydney's adopted fees and charges and the Public Domain Manual. The Public Domain Works Deposit must be submitted as an unconditional bank guarantee or insurance bond as per the Council's Performance Bond Policy in favour of Council as security for completion of the obligations under this consent (Guarantee).

Council's Public Domain section must be contacted to determine the guarantee amount prior to lodgement of the guarantee. The guarantee must be lodged with Council prior to a Construction Certificate being issued.

The Guarantee will be retained in full until all Public Domain works, including rectification of damage to the public domain, are completed to City of Sydney standards and approval and the required certifications, warranties and works-as-executed documentation are submitted and approved by Council in writing. On satisfying the above requirements, 90% of the security will be released. The remaining 10% will be retained for the duration of the specified Defects Liability Period.

(67) PUBLIC DOMAIN WORKS – HOLD POINTS AND HANDOVER

- (a) Prior to a Construction Certificate being issued for public domain work, including civil, drainage and subsurface works, , a set of hold points for approved public domain, civil and drainage work is to be determined with and approved by the City's Public Domain section in accordance with the City of Sydney's *Public Domain Manual* and *Sydney Streets Technical Specification*.
- (b) Prior to a Certificate of Completion being issued for public domain works and before the issue of any Occupation Certificate for the development or before the use commences, whichever is earlier, electronic works-as-executed (as-built) plans and documentation, certified by a suitably

NOTICE OF DETERMINATION – APPROVAL D/2019/825

qualified, independent professional must be submitted to and accepted by Council for all public domain works. Completion and handover of the constructed public domain works must be undertaken in accordance with the City of Sydney's *Public Domain Manual* and *Sydney Streets Technical Specification*, including requirements for as-built documentation, certification, warranties and the defects liability period.

(68) STORMWATER AND DRAINAGE - MINOR DEVELOPMENT

- (a) The drainage system is to be constructed in accordance with the City's standard requirements as detailed in the City of Sydney's Stormwater Drainage Manual, as amended from time to time.

The development is to be designed so that the flow of pollutants from the site due to stormwater is reduced.

- (b) For approval of a connection into the City of Sydney's drainage system an "Application for Approval of Stormwater Drainage Connections" must be submitted to the City, together with an application fee in accordance with the City of Sydney's adopted Schedule of Fees and Charges.
 - (i) The application must be approved by the City of Sydney prior to an approval or Construction Certificate being issued for excavation, civil construction, drainage or building work (whichever is earlier), excluding approved preparatory or demolition work.
 - (ii) All proposed connections to the City's underground drainage system require the owner to enter into a Deed of Agreement with the City of Sydney and obtain registration on Title of a Positive Covenant prior to an Occupation Certificate being issued, including an Interim Occupation Certificate.
- (c) Where a drainage system includes On-site Detention (OSD), the following requirements must be satisfied prior to the issue of any Occupation Certificate, including any Interim Occupation Certificate:
 - (i) A Positive Covenant must be registered on the title for all drainage systems involving OSD to ensure the maintenance of the approved OSD system regardless of the method of connection;
 - (ii) A Works-As-Executed survey must be prepared, signed, dated and certified by a Registered Surveyor and must be submitted to and accepted by the Principal Certifier. The Works-As-Executed plan must be overlaid on a copy of the approved stormwater drainage plans issued with the Construction Certificate, with variations to locations, dimensions, levels and storage volumes clearly marked;
 - (iii) A Hydraulic Compliance Certificate and Calculation Sheet must be prepared by a suitably qualified hydraulic engineer (minimum NER), showing approved versus installed hydraulic calculations, and must be submitted to and be accepted by the Principal Certifier;
 - (iv) Evidence of Sydney Water's acceptance of the Works-As-Executed documentation, certification and Hydraulic Compliance Certificate and Calculation Sheet must be provided to the Principal Certifier;

NOTICE OF DETERMINATION – APPROVAL D/2019/825

- (v) The Principal Certifier must submit a copy of the Works-As-Executed plans, certifications, Hydraulic Compliance Certificate and Calculation Sheet to the City of Sydney.

(69) DEFECTS LIABILITY PERIOD – PUBLIC DOMAIN WORKS

All works to the City's public domain, including rectification of identified defects, are subject to a 6 month defects liability period from the date of final completion. The date of final completion will be nominated by Council on the Certificate of Practical Completion for public domain works.

(70) DRAINAGE AND SERVICE PIT LIDS

Drainage and service pit lids throughout the public domain shall be heelguard and bicycle safe, finish flush with the adjacent pavement to avoid trip hazards and be clear of obstructions for easy opening and cleaning. Pit lids shall be in accordance with the *City of Sydney's Sydney Streets Design Code* and *Sydney Streets Technical Specification*. Details of drainage and service pit lids shall be submitted and approved by Council prior to a Construction Certificate being issued for the relevant stage of work.

(71) PROTECTION OF STONE KERBS

- (a) The existing stone kerbs on the Taggarts Lane frontage of the site are to be retained and properly protected during excavation and construction works.
- (b) To avoid damage to stone kerbs during excavation and construction works for the development, temporary removal and storage of the stone kerbs may be approved by Council. Removed, serviceable stone kerbs (i.e. those that are in good condition as agreed by Council officers) must be re-installed in accordance with the City of Sydney's standard details and specifications after the construction works have been completed. Note: A temporary concrete kerb will need to be constructed to retain the footpath until the stone kerbs can be reinstalled. The removed stone kerbs are to be reinstalled prior to the issue of an Occupation Certificate. Note: all costs associated with the works are to be at no cost to the Council.
- (c) Damaged kerbs are to be replaced to match existing to Council's satisfaction or as otherwise advised by Council officers.
- (d) Where new crossings or temporary crossings are to be constructed to access the property, the affected kerb stones should be salvaged and reused wherever possible.
- (e) All new driveway laybacks and kerbs are to be constructed with stone kerbs to match existing stones or as specified by City officers. All unused stone kerbs are to be salvaged and returned to the City's store.
- (f) Council approval is required before kerbs are removed.
- (g) Council approval is required prior to the cutting of existing stone kerbs for stormwater kerb outlets.

(72) PUBLIC DOMAIN DAMAGE DEPOSIT

- (a) A Public Domain Damage Deposit calculated on the basis of 70 square metres of asphalt site frontage must be lodged with Council in accordance with the City of Sydney's adopted Schedule of Fees and Charges. The Public Domain Damage Deposit must be submitted as an unconditional bank guarantee or insurance bond as per the Council's Performance Bond Policy in favour of Council as security for repairing any damage to the public domain in the vicinity of the site (Guarantee).
- (b) The Guarantee must be lodged with Council prior to an approval for demolition being granted or a Construction Certificate being issued, whichever is earlier.
- (c) The Guarantee in this condition will be retained in full until the Public Domain Works Deposit Guarantee if required by this consent is lodged with Council. Upon lodgement of the Public Domain Works Deposit Guarantee, the Guarantee in this condition will be released.
- (d) If no public domain works are required the Guarantee in this condition will be retained in full until the final Occupation Certificate has been issued and any rectification works to the footway and Public Domain are completed to Council's satisfaction. The Guarantee will be released in full unless rectification works are required where upon 90% of the total securities will be released, with the remaining 10% to be retained for the duration of a 6 months Defect Liability Period.

(73) PUBLIC DOMAIN LIGHTING

- (a) Prior to a Construction Certificate for public domain works or above ground building works being issued, whichever is later, a detailed Public Domain Lighting Plan for pedestrian and street lighting in the public domain must be prepared by a suitably qualified, practicing lighting engineer or lighting designer and must be submitted to and approved by Council. The Lighting Plan must be prepared in accordance with the City of Sydney's Sydney Lights Design Code, Sydney Streets Code, *Sydney Streets Technical Specification* and *Public Domain Manual* and must include the following:
 - (i) Vertical and horizontal illuminance plots for the public domain lighting design to demonstrate compliance with all relevant Australian Standards and to meet the lighting categories and requirements specified by the City;
 - (ii) The location, type and category of existing and proposed lights, including details of luminaire specifications, required to ensure compliance with City policies and Australian Standards;
 - (iii) Footing locations and structural details;
 - (iv) Location and details of underground electrical reticulation, connections and conduits;
 - (v) Certification by a suitably qualified, practicing lighting engineer or lighting designer to certify that the design complies with City policies

NOTICE OF DETERMINATION – APPROVAL D/2019/825

and all relevant Australian Standards including AS 1158, AS 3000 and AS4282;

- (vi) Structural certification for footing designs by a suitably qualified, practicing engineer to certify that the design complies with City of Sydney policies and Australian Standards.
- (b) The public domain lighting works are to be completed in accordance with the approved plans and the City of Sydney's *Public Domain Manual* before any Occupation Certificate is issued in respect of the development or before the use commences, whichever is earlier.

(74) TACTILE GROUND SURFACE INDICATORS AND HANDRAILS

All tactile ground surface indicators, handrails and other elements required to provide access into the building / property must be located entirely within the private property boundary.

(75) WASTE AND RECYCLING COLLECTION CONTRACT

Prior to an Occupation Certificate being issued and/or commencement of the use, whichever is earlier, the building owner must ensure that there is a contract with a licensed contractor for the removal of **all waste**. No garbage is to be placed on the public way, e.g. footpaths, roadways, plazas, reserves, at any time.

(76) WASTE AND RECYCLING MANAGEMENT - COMMERCIAL

- (a) A Waste and Recycling Management Plan is to be approved by the Principal Certifier prior to a Construction Certificate being issued. The plan must comply with the Council's *Guidelines for Waste Management in New Developments 2018*. All requirements of the approved Building Waste and Recycling Management Plan must be implemented during construction of the development.

UPON COMPLETION OF THE DEVELOPMENT

- (b) Prior to an Occupation Certificate being issued or the use commencing, whichever is earlier, the Principal Certifier must ensure that waste handling works have been completed in accordance with: the Waste and Recycling Management Plan; other relevant development consent conditions; and Council's *Guidelines for Waste Management in New Developments 2018*.

(77) WASTE AND RECYCLING MANAGEMENT - MINOR

The proposal must comply with the relevant provisions of Council's *Guidelines for Waste Management in New Developments 2018* which requires facilities to minimise and manage waste and recycling generated by the proposal.

NOTICE OF DETERMINATION – APPROVAL D/2019/825

(78) WASTE/RECYCLING COLLECTION

- (a) The collection of waste and recycling must only occur during the designated zone collection times as outlined in the City's Waste Policy – Local Approvals Policy for Managing Waste in Public Places 2017.
- (b) Garbage and recycling must not be placed on the street for collection.

SCHEDULE 1C

DURING CONSTRUCTION/PRIOR TO OCCUPATION/COMPLETION

(79) OCCUPATION CERTIFICATE TO BE SUBMITTED

An Occupation Certificate must be obtained from the Principal Certifier and a copy submitted to Council prior to commencement of occupation or use of the whole or any part of a new building, an altered portion of, or an extension to an existing building.

(80) HOURS OF WORK AND NOISE – OUTSIDE CBD

The hours of construction and work on the development must be as follows:

- (a) All work, including building/demolition and excavation work, and activities in the vicinity of the site generating noise associated with preparation for the commencement of work (eg. loading and unloading of goods, transferring of tools etc) in connection with the proposed development must only be carried out between the hours of 7.30am and 5.30pm on Mondays to Fridays, inclusive, and 7.30am and 3.30pm on Saturdays, with safety inspections being permitted at 7.00am on work days, and no work must be carried out on Sundays or public holidays.
- (b) All work, including demolition, excavation and building work must comply with the City of Sydney Code of Practice for Construction Hours/Noise 1992 and Australian Standard 2436 - 2010 Guide to Noise Control on Construction, Maintenance and Demolition Sites.
- (c) Notwithstanding the above, the use of a crane for special operations, including the delivery of materials, hoisting of plant and equipment and erection and dismantling of on site tower cranes which warrant the on-street use of mobile cranes outside of above hours can occur, subject to a permit being issued by Council under Section 68 of the Local Government Act 1993 and/or Section 138 of the Roads Act 1993.

Note: Works may be undertaken outside of hours, where it is required to avoid the loss of life, damage to property, to prevent environmental harm and/or to avoid structural damage to the building. Written approval must be given by the Construction Regulation Unit, prior to works proceeding

The *City of Sydney Code of Practice for Construction Hours/Noise 1992* allows extended working hours subject to the approval of an application in accordance with the Code and under Section 4.55 of the *Environmental Planning and Assessment Act 1979*.

(81) HAZARDOUS AND INDUSTRIAL WASTE

Hazardous and/or industrial waste arising from the demolition/operational activities must be removed and/or transported in accordance with the requirements of the NSW Work Cover Authority pursuant to the provisions of the following:

- (a) *Protection of the Environment Operations Act 1997*
- (b) *Protection of the Environment Operations (Waste) Regulation 2005*

NOTICE OF DETERMINATION – APPROVAL D/2019/825

- (c) *Waste Avoidance and Resource Recovery Act 2001*
- (d) *Work Health and Safety Act 2011*
- (e) *Work Health and Safety Regulation 2011.*

(82) ENCROACHMENTS – PUBLIC WAY

No portion of the proposed structure, including gates and doors during opening and closing operations, shall encroach upon Council's footpath area.

(83) ENCROACHMENTS – NEIGHBOURING PROPERTIES

No portion of the proposed structure shall encroach onto the adjoining properties.

(84) ENCROACHMENTS – PUBLIC WAY

No portion of the proposed structure, including gates and doors during opening and closing operations, shall encroach upon Council's footpath area.

(85) SURVEY

All footings, walls and floor slabs adjacent to a boundary must be set out by a registered surveyor. On commencement of brickwork or wall construction a survey and report, prepared by a Registered Surveyor, must be submitted to the Principal Certifier indicating the position of external walls in relation to the boundaries of the allotment. Any encroachments by the subject building over adjoining boundaries or roads must be removed prior to continuation of building construction work.

(86) SURVEY CERTIFICATE AT COMPLETION

A Survey Certificate prepared by a Registered Surveyor must be submitted to the Principal Certifier at the completion of the building work certifying the location of the building in relation to the boundaries of the allotment.

(87) ARCHAEOLOGICAL DISCOVERY DURING EXCAVATION

- (a) Should any relics be unexpectedly discovered on the site during excavation, all excavation or disturbance to the area is to stop immediately and the Heritage Council of NSW should be informed in accordance with section 146 of the Heritage Act 1977.
- (b) Should any Aboriginal objects be unexpectedly discovered then all excavation or disturbance of the area is to stop immediately and NSW Government Office of Environment and Heritage is to be informed in accordance with Section 89A of the *National Parks and Wildlife Act 1974*
- (c) Should any archaeological remains or Aboriginal objects be discovered, a copy of recording of the finds and the final archaeological summary report is to be submitted to Council prior to the Occupational Certificate;

NOTICE OF DETERMINATION – APPROVAL D/2019/825

- (d) if the discovery is on Council's land, Council must be informed.

(88) COVERING OF LOADS

All vehicles involved in the excavation and/or demolition process and departing the property with demolition materials, spoil or loose matter must have their loads fully covered before entering the public roadway.

(89) VEHICLE CLEANSING

Prior to the commencement of work, suitable measures are to be implemented to ensure that sediment and other materials are not tracked onto the roadway by vehicles leaving the site. It is an offence to allow, permit or cause materials to pollute or be placed in a position from which they may pollute waters.

(90) SYDNEY WATER CERTIFICATE

A Section 73 Compliance Certificate under the Sydney Water Act 1994 must be obtained from Sydney Water Corporation.

Application must be made through an authorised Water Servicing Coordinator. Please refer to the Building Developing and Plumbing section on the web site www.sydneywater.com.au then refer to "Water Servicing Coordinator" under "Developing Your Land" or telephone 13 20 92 for assistance.

Following application a "Notice of Requirements" will advise of water and sewer infrastructure to be built and charges to be paid. Please make early contact with the Coordinator, since building of water/sewer infrastructure can be time consuming and may impact on other services and building, driveway or landscape design.

The Section 73 Certificate must be submitted to Council or the Principal Certifier prior to any Occupation Certificate or subdivision/strata certificate being issued.

(91) LOADING AND UNLOADING DURING CONSTRUCTION

The following requirements apply:

- (a) All loading and unloading associated with construction activity must be accommodated on site, where possible.
- (b) If, it is not feasible for loading and unloading to take place on site, a Works Zone on the street may be considered by Council.
- (c) A Works Zone may be required if loading and unloading is not possible on site. If a Works Zone is warranted an application must be made to Council at least 8 weeks prior to commencement of work on the site. An approval for a Works Zone may be given for a specific period and certain hours of the days to meet the particular need for the site for such facilities at various stages of construction. The approval will be reviewed periodically for any adjustment necessitated by the progress of the construction activities.
- (d) Where hoisting activity over the public place is proposed to be undertaken including hoisting from a Works Zone, a separate approval under Section

NOTICE OF DETERMINATION – APPROVAL D/2019/825

68 of the Local Government Act 1993 and Section 138 of the Roads Act 1993 must be obtained.

(92) NO OBSTRUCTION OF PUBLIC WAY

The public way must not be obstructed by any materials, vehicles, refuse, skips or the like, under any circumstances. Non-compliance with this requirement will result in the issue of a notice by Council to stop all work on site.

(93) USE OF MOBILE CRANES

The following requirements apply:

- (a) Mobile cranes operating from the road must not be used as a method of demolishing or constructing a building.
- (b) For special operations including the delivery of materials, hoisting of plant and equipment and erection and dismantling of on site tower cranes which warrant the on-street use of mobile cranes, permits must be obtained from Council for the use of a mobile crane. The permits must be obtained 48 hours beforehand for partial road closures which, in the opinion of Council will create minimal traffic disruptions and 4 weeks beforehand in the case of full road closures and partial road closures which, in the opinion of Council, will create significant traffic disruptions.
- (c) The use of a crane for special operations, including the delivery of materials, hoisting of plant and equipment and erection and dismantling of on site tower cranes which warrant the on-street use of mobile cranes outside of approved hours of construction can occur, subject to a permit being issued by Council under Section 68 of the Local Government Act 1993 and/or Section 138 of the Roads Act 1993.

NOTICE OF DETERMINATION – APPROVAL D/2019/825

SCHEDULE 2

PRESCRIBED CONDITIONS

The prescribed conditions in accordance with Division 8A of the *Environmental Planning and Assessment Regulation 2000* apply:

- Clause 98 Compliance with *Building Code of Australia* and insurance requirements under the *Home Building Act 1989*
- Clause 98A Erection of signs
- Clause 98B Notification of *Home Building Act 1989* requirements
- Clause 98C Conditions relating to entertainment venues
- Clause 98D Conditions relating to maximum capacity signage
- Clause 98E Conditions relating to shoring and adequacy of adjoining property

Refer to the NSW State legislation for full text of the clauses under Division 8A of the *Environmental Planning and Assessment Regulation 2000*. This can be accessed at: <http://www.legislation.nsw.gov.au>

IMPORTANT ADDITIONAL INFORMATION

Advisory notes:

1. It is advised that the City of Sydney Neighbourhood Parking Policy may apply to this development. Eligibility for parking permits for residents or users of the development will be determined by the terms of this policy or subsequent future policies.
2. The State Government has commenced planning for the construction of the CBD South East Light Rail (CSELR). You may need to consider the potential impacts of this project in programming your development. The CSELR route includes Alfred St, George St, Rawson Place, Eddy Ave, Chalmers St, and Devonshire St. For construction and programming information contact the Transport for NSW Infoline on 1800 684 490 or www.transport.nsw.gov.au/projects.

The Environmental Planning and Assessment Act 1979 requires you to:

1. Obtain a **Construction Certificate** prior to the commencement of any works. An application may be lodged with Council, or you may apply to a private accredited certifier for a Construction Certificate. An accredited certifier **must obtain Council's approval** to certain conditions of this development consent, where indicated before issuing the Construction Certificate.
2. **Note: it is compulsory to lodge digital copies of applications, including plans and documentation if lodging an application with Council. Please refer to the link below for any further information about digital requirements and electronic files.**
<http://www.cityofsydney.nsw.gov.au/development/application-guide/application-process/digital-requirements>.
3. Nominate a **Principal Certifier** which may be either Council or an accredited certifier and notify Council of that appointment. You **cannot lawfully** commence works without complying with this requirement.
4. Give Council at least two days notice of your intention to commence the erection of a building **before** commencing construction works. You cannot lawfully commence works without complying with this requirement.
5. Obtain an **Occupation Certificate** before commencing occupation or commencing to use the building or on the completion of other works including the erection of a sign. You cannot lawfully commence occupation or the use of a building without complying with this requirement.

You may also need to:

6. Obtain approval through the lodgement of an application under Section 68 of the *Local Government Act 1993* and Section 138 of the *Roads Act 1993* for an activity which is proposed to be undertaken in, on or above a road reservation (including footways). Such activities include:
 - (a) installation of hoardings/scaffolding;
 - (b) installation and/or alterations to advertising/business signs and street awnings;
 - (c) crane operation and other hoisting activities;
 - (d) temporary works (e.g.: barricading, road openings, mobile hoisting devices);
 - (e) works zone (for loading and unloading from the roadway); and
 - (f) temporary ground anchoring and shoring to support a roadway when excavating.

Application forms are available on the City's website.

7. Lodge an **Application for Subdivision** to obtain a **Subdivision Certificate** if a land (including stratum) subdivision is proposed and an Application for Subdivision to obtain **Strata Title Subdivision** under the relevant Strata Titles Act, if strata title of the development is proposed.
8. Comply with the Food Act 2003, the Australia New Zealand Food Standards Code, Australian Standard 4674 – 2004, and register the business with Council if the premises is used for the manufacture, preparation, packing, storing, conveying or delivering of food or beverage for sale.
9. Contact Sydney Water regarding the water and sewerage services to this development. For further information go to www.sydneywater.com.au.

10. Carry out critical stage inspections in accordance with Section 6.5 of the EP&A Act 1979 and clauses 162A, 162B and 163 of the EP&A Regulation 2000.

Applications and submissions referred to in this consent may be lodged at:

CBD Level 2, Town Hall House, 456 Kent St, Sydney.

KINGS CROSS 50-52 Darlinghurst Rd, Kings Cross.

GLEBE Customer Service Centre, 186 Glebe Point Rd, Glebe.

If you have any enquiries on any aspect of this consent, contact Matthew Girvan ph. 02 9246 7756, email mgirvan@cityofsydney.nsw.gov.au.